

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L30	15025	358/402,440,474,524,530,537,540,407,448,450,468,296,1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:25
L31	403	379/93.24,100.08.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:26
L32	6761	(receiv\$5 or receipt\$5) near5 (fax or facsimile) near4 (image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
L33	221	32 and ((forward\$5 or relay\$5 or transfer\$5 or transmi\$6) near5 (e adj3 mail) near4 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
L34	39	33 and ((register\$5 or stor\$4 or table) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:39
L35	32	34 and (30 or 31)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:28
L36	5	33 and ((determin\$5 or detect\$5) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:36
L37	3	33 and ((register\$5) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:37
L38	8084	(receiv\$5 or receipt\$5 or input\$5) near5 (fax or facsimile) near4 (image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
L39	229	38 and ((forward\$5 or relay\$5 or transfer\$5 or transmi\$6) near5 (e adj3 mail) near4 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L30	15025	358/402,440,474,524,530,537,540,407,448,450,468,296,1.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:25
L31	403	379/93.24,100.08.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:26
L32	6761	(receiv\$5 or receipt\$5) near5 (fax or facsimile) near4 (image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
L33	221	32 and ((forward\$5 or relay\$5 or transfer\$5 or transmi\$6) near5 (e adj3 mail) near4 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
L34	39	33 and ((register\$5 or stor\$4 or table) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:39
L35	32	34 and (30 or 31)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:28
L36	5	33 and ((determin\$5 or detect\$5) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:36
L37	3	33 and ((register\$5) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:37
L38	8084	(receiv\$5 or receipt\$5 or input\$5) near5 (fax or facsimile) near4 (image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38
L39	229	38 and ((forward\$5 or relay\$5 or transfer\$5 or transmi\$6) near5 (e adj3 mail) near4 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:38

L40	39	39 and ((register\$5 or stor\$4 or table) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:01
L41	3	39 and ((register\$5) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:39
L42	21	39 and ((register\$5 or stor\$4 or table) with (jpeg or tiff or gif) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:04
L43	31	39 and ((register\$5 or stor\$4 or table) with (jpeg or tiff or gif) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:05
L44	11	39 and ((register\$5 ) with (jpeg or tiff or gif) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:06
L45	4	39 and ((image or color) near5 conver\$6 near3 table )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:09
L46	114	39 and ((image or color) near5 conver\$6 near3 (register\$5 or table or lut or memory or format\$5 or type or tiff or jpeg or gif) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:12
L47	30	46 and (select\$5 near6 (conver\$6) near3 format\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:12

L40	39	39 and ((register\$5 or stor\$4 or table) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:01
L41	3	39 and ((register\$5) with (encod\$5 or cod\$3 or compress\$5) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:39
L42	21	39 and ((register\$5 or stor\$4 or table) with (jpeg or tiff or gif) near5 (type or format\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:04
L43	31	39 and ((register\$5 or stor\$4 or table) with (jpeg or tiff or gif) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:05
L44	11	39 and ((register\$5 ) with (jpeg or tiff or gif) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:06
L45	4	39 and ((image or color) near5 conver\$6 near3 table )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:09
L46	114	39 and ((image or color) near5 conver\$6 near3 (register\$5 or table or lut or memory or format\$5 or type or tiff or jpeg or gif) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:12
L47	30	46 and (select\$5 near6 (conver\$6) near3 format\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:18
L48	3	39 and ((select\$5 near6 (conver\$6) near3 format\$5) same (jpeg or tiff or gif or mmr or mime))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:22
L49	3	39 and (((choos\$5 or select\$5) near6 (conver\$6) near3 (type or format\$5)) same (jpeg or tiff or gif or mmr or mime))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:22
L50	69	39 and (( (conver\$6) near3 (type or format\$5)) same (jpeg or tiff or gif or mmr or mime))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:23

L51	43	39 and (( (register\$5 or stor\$5) with (conver\$6) near3 (type or format\$5)) same (jpeg or tiff or gif or mmr or mime))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:24
L54	10	39 and (( (input\$5 or receiv\$5 or receipt\$5) with (conver\$6) near3 (type or format\$5)) same (jpeg or tiff or gif or mmr or mime))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 17:26

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	5332	((register\$5 or stor\$5 or table) with (e-mail or (e adj3 mail)) with (destination or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:17
L5	39	L4 and ((register\$5 or stor\$5 or table) with (attach\$5 or append\$5) near3 method)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:11
L6	3	5 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:11
L7	48	L4 and ((register\$5 or stor\$5 or table) same ((attach\$5 or append\$5) near3 method))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:12
L8	4	7 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:13
L9	53	L4 and ( ((e adj3 mail) with (attach\$5 or append\$5)) same ((attach\$5 or append\$5) near3 method))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:13
L10	7	9 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:16
L11	148	( ((e adj3 mail) with (attach\$5 or append\$5)) same ((attach\$5 or append\$5) near3 method))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:14
L12	20	( ((e adj3 mail) with (attach\$5 or append\$5) with image) same ((attach\$5 or append\$5) near3 method))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:16
L13	63	( ((e adj3 mail) with (attach\$5 or append\$5) with image) and ((attach\$5 or append\$5) near3 method))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:17

L14	12	13 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:16
L15	0	((e adj3 mail) with (attach\$5 or append\$5) with image) and ((attach\$5 or append\$5) near3 (all) with image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:17
L16	0	((e adj3 mail) with (attach\$5 or append\$5) with image) and ((attach\$5 or append\$5) near3 (all)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:17
L17	23	((e adj3 mail) with (attach\$5 or append\$5) with image) and ((attach\$5 or append\$5) near3 (first or cover or front) near3 image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:26
L18	66	((e adj3 mail) with (attach\$5 or append\$5) with image) and ((determin\$5 or detect\$5) near4 (attach\$5 or append\$5) near3 (file or image)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:27
L19	3	18 and ((receiv\$5 or recept\$5) near5 (plural\$5 or multiple) near3 (image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:28
L20	11	18 and ((plural\$5 or multiple) near3 (image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:44
L21	1	"6721783".pn. and (customer near2 preference near2 database)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:46
L22	1	"6721783".pn. and (customer near2 preference)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:50
L23	1	"6721783".pn. and (scan\$5 with bank\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:51
L24	0	"6721783".pn. and (scan\$5 same (customer near2 preference))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:51

L25	0	"6721783".pn. and (scan\$5 same (append\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:51
L26	1	4 and (register\$5 with (encod\$5 or cod\$3 or compress\$5) with imag\$5 with format\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:18
L27	9	4 and (register\$5 with (encod\$5 or cod\$3 or compress\$5) with format\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:20
L28	436	4 and (register\$5 with (encod\$5 or cod\$3 or compress\$5) )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:20
L29	37	28 and ((forward\$5 or transfer\$5 or transmi\$6) near4 (e adj3 mail) with (attach\$5 or append\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:22



Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5332	((register\$5 or stor\$5 or table) with (e-mail or (e adj3 mail)) with (destination or address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:25
L2	198	1 and ((register\$5 or stor\$5 or table) with (attach\$5 or append\$5) with (format\$5 or type or (how adj2 many) or quantit\$5 or all or ((front or cover or first) adj2 (page or image)) ))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:27
L3	44	2 and "358".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:27

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	66	(e-mail or (e adj4 mail) or (electronic\$5 near2 mail)) with (attach\$6 or append\$5) with (plural\$5 or multiple) near3 (image or picture or data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:12
L2	17	L1 and ((Fax or facsimile) near4 (receiv\$5 or receipt\$5) near6 (image or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:19
L3	0	2 and (itu adj2 t adj2 "37")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:13
L4	3	2 and (itu adj2 t)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:14
L5	0	(itu adj2 t adj2 "t." adj2 "37")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:14
L6	0	(itu adj2 t adj2 "t." )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:14
L7	8028	(itu adj2 t)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:14
L8	15	(itu adj2 t) with "37"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:15
L9	0	"t. 37"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:16
L10	0	"t. 37"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:16

L11	1	itu-t adj2 "37"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:16
L12	5	itu-t adj7 "37"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:17
L13	5	itu-t and (recommendation adj3 "37")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:18
L14	1	2 and ((forward\$5 or transfer\$5 or transmi\$5) near5 (mobile or wireless) with (data or text))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 12:20